ELSEVIER

Journal of Magnetism and Magnetic Materials 250 (2002) 370–372

Journal of magnetism and magnetic materials

www.elsevier.com/locate/jmmm

Author index to volume 250

Abadía, A.R., see Lázaro, F.J. 256
Antoniadis, E., see Zaspalis, V.T. 98
Awana, V.P.S., J. Nakamura, M. Karppinen, H. Yamauchi and S.K. Malik, Glass component induced hysteresis/memory effect in magnetoresistance of $Pr_{0.9}Sr_{0.1}CoO_{2.99}$ L6

Babu, P.D., see Balakrishnan, K. 110
Balakrishnan, K., P.D. Babu, V. Ganesan, R. Srinivasan and S.N. Kaul, Magnetoelastic study of amorphous $Fe_{90+x}Zr_{10-x}$ alloys 110
Bandyopadhyay, A.K., see Holland, P. L1
Bao, J., J. Zhou, Z. Yue, L. Li and Z. Gui, Dielectric behavior of Mn-substituted Co_2Z hexaferrites 131
Bentaleb, M., N. El Aouad, B. Laaboudi and M. Saber, Magnetic properties of the transverse ferrimagnetic bilayer system with disordered interfaces 138
Bertorello, H.R., see Billoni, O.V. 179
Billoni, O.V., S.E. Urreta, L.M. Fabietti and H.R. Bertorello, Coercive properties of $Nd_2Fe_{14}B+\alpha Fe$ nanocrystalline composites exhibiting wide distributions of switching fields in the frame of the Global Nucleation Model 179
Birringer, R., see Michels, D. 203
Blázquez, J.S., V. Franco, A. Conde, M.R.J. Gibbs, H.A. Davies and Z.C. Wang, The evolution of magnetostriction and coercivity with temperature in the early stages of nanocrystallisation in FeCoNbB (Cu) alloys 260
Blázquez-Gámez, J.S., see Szumiata, T. 83
Boehm, M., S. Martynov, B. Roessli, G. Petrakovskii and J. Kulda, Spin-wave spectrum of copper metaborate in the commensurate phase $10\,K<T<21\,K$ 313
Bombik, A., B. Leśniewska and A.W. Pacyna, AC susceptibility of powder $TbFe_{1-x}Al_xO_3$ and $TbFe_{1-x}Ga_xO_3$ solid solutions 325
Brzózka, K., see Szumiata, T. 83
Bukhanko, A.F. and A.L. Sukstanskii, Optics of a ferromagnetic superlattice with noncollinear orientation of equilibrium magnetization vectors in layers 338
Bürgler, D.E., see Hoffmann, R. 32
Buschow, K.H.J., see Schobinger-Papamantellos, P. 225

Chang, Y.-C., see Velev, J. 219
Chen, S., see Dong, C. 288
Conde, A., see Blázquez, J.S. 260
Cui, B.Z., X.K. Sun, Y.C. Sui, D.Y. Geng and Z.D. Zhang, Phase transformation and magnetic properties of Nd–Fe–V–Nb alloys prepared by mechanical alloying 212

Davies, H.A., see Blázquez, J.S. 260
Dhar, S.K., see Singh, S. 190
Dittrich, R., T. Schrefl, D. Suess, W. Scholz, H. Forster and J. Fidler, A path method for finding energy barriers and minimum energy paths in complex micromagnetic systems 12
Dlouhá, M., see Jirák, Z. 275
Dong, C., S. Chen and T.Y. Hsu (Xu Zuyao), A simple model of giant magneto-impedance effect in amorphous thin films 288
Dooryhee, E., see Schobinger-Papamantellos, P. 225
Du, A., see Jiang, W. 49
Du, Y., see Peng, K. 319
Dubey, A., see Holland, P. L1
Ducouret, A., see Sriti, F. 123

Ebisuzaki, T., see Elmegreen, B.G. 39
El Aouad, N., see Bentaleb, M. 138
El-Shaer, N.A., see Mansour, M.A. 57
Elaïssari, A., see Montagne, F. 302
Elmegreen, B.G., R. Koch, K. Yasuoka, H. Furusawa, T. Narumi, R. Susukita and T. Ebisuzaki, Numerical simulations of magnetic materials with MD-GRAPE: curvature induced anisotropy 39

Fabietti, L.M., see Billoni, O.V. 179
Fidler, J., see Dittrich, R. 12
Fitch, A.N., see Schobinger-Papamantellos, P. 225
Forster, H., see Dittrich, R. 12
Franco, V., see Blázquez, J.S. 260
Furusawa, H., see Elmegreen, B.G. 39

Ganesan, V., see Balakrishnan, K. 110
Gao, W., see Peng, K. 319
Gawroński, M., see Szumiata, T. 83

0304-8853/02/$ - see front matter
PII: S0304-8853(02)01200-3

Geerts, W.J., see Holland, P. L1
Geng, D.Y., see Cui, B.Z. 212
Gibbs, M.R.J., see Blázquez, J.S. 260
Górka, B., see Szumiata, T. 83
Grenèche, J.M., see Szumiata, T. 83
Gschneidner Jr., K.A., see Zhang, W. 170
Gui, Z., see Bao, J. 131
Güntherodt, H.-J., see Hoffmann, R. 32

Hamada, I.M., see Tawfik, A. 77
Hanbicki, A., see Rubinstein, M. 164
Hejtmánek, J., see Jirák, Z. 275
Hemeda, O.M., see Tawfik, A. 77
Hervieu, M., see Jirák, Z. 275
Hoffmann, R., D.E. Bürgler, P.J.A. van Schendel, H.J. Hug, S. Martin and H.-J. Güntherodt, Perpendicular magnetic domains of a thin Ag/Fe/Ag film observed by magnetic force microscopy at room temperature 32
Holland, P., M. Kempton, D. Ragan, S. Rios, A.K. Bandyopadhyay, A. Dubey and W.J. Geerts, The magnetic hysteresis of NiFe-31% thin films under isotropic in-plane stress L1
Hsu (Xu Zuyao), T.Y., see Dong, C. 288
Hug, H.J., see Hoffmann, R. 32

Jezuita, K., see Szumiata, T. 83
Ji, Z., see Yang, B. 364
Jiang, W., G.-Z. Wei and A. Du, A ferromagnetic or ferrimagnetic bilayer system with a transverse crystal field 49
Jirák, Z., J. Hejtmánek, K. Knížek, M. Maryško, E. Pollert, M. Dlouhá, S. Vratislav, R. Kužel and M. Hervieu, Structure and magnetism in the $Pr_{1-x}Na_xMnO_3$ perovskites ($0 \leqslant x \leqslant 0.2$) 275
Jonker, B., see Rubinstein, M. 164
Ju, S. and Z.-Y. Li, Study of the temperature dependence of giant magnetoresistance in metallic granular composite 295

Kanchana, V., G. Vaitheeswaran and M. Rajagopalan, Pressure-induced structural and magnetic phase transition in ferromagnetic CrTe 353
Karppinen, M., see Awana, V.P.S. L6
Kaul, S.N., see Balakrishnan, K. 110
Kempton, M., see Holland, P. L1
Kim, Y.K., see Park, J.-S. 25
Knížek, K., see Jirák, Z. 275
Koch, R., see Elmegreen, B.G. 39
Krebs, J.J., see Rubinstein, M. 164
Krill III, C.E., see Michels, D. 203
Kulda, J., see Boehm, M. 313
Kulik, T., see Szumiata, T. 83
Kužel, R., see Jirák, Z. 275

Laaboudi, B., see Bentaleb, M. 138
Lähderanta, E., see Laiho, R. 267
Laiho, R., K.G. Lisunov, E. Lähderanta, J. Salminen and V.S. Zakhvalinskii, Low-field magnetic properties as indication of disorder, frustration and cluster formation effects in $La_{1-x}Ca_xMn_{1-y}Fe_yO_3$ 267
Lakshman, A., K.H. Rao and R.G. Mendiratta, Magnetic properties of In^{3+} and Cr^{3+} substituted Mg–Mn ferrites 92
Larrea, A., see Lázaro, F.J. 256
Lázaro, F.J., A. Larrea, A.R. Abadía and M.S. Romero, Magnetic study of iron sorbitol 256
Lee, S.-R., see Park, J.-S. 25
Leśniewska, B., see Bombik, A. 325
Levin, E.M., see Zhang, W. 170
Li, J., see Sun, J. 20
Li, L., see Bao, J. 131
Li, Z.-Y., see Ju, S. 295
Lim, S.H., see Park, J.-S. 25
Lisunov, K.G., see Laiho, R. 267
Longtu, L., see Yang, B. 364
Lubitz, P., see Rubinstein, M. 164

Malik, S.K., see Awana, V.P.S. L6
Manfrinetti, P., see Singh, S. 190
Mansour, M.A. and N.A. El-Shaer, Effect of magnetic field on non-Darcy axisymmetric free convection in a power-law fluid saturated porous medium with variable permeability 57
Marin, C.N., The particle concentration effect on magnetic resonance linewidth for magnetic liquids with chain aggregates 197
Martin, C., see Sriti, F. 123
Martin, S., see Hoffmann, R. 32
Martínez, J.R., see Ponce-Castañeda, S. 160
Martynov, S., see Boehm, M. 313
Maryško, M., see Jirák, Z. 275
Matutes-Aquino, J.A., see Ponce-Castañeda, S. 160
Mendiratta, R.G., see Lakshman, A. 92
Michels, D., C.E. Krill III and R. Birringer, Grain-size-dependent Curie transition in nanocrystalline Gd: the influence of interface stress 203
Mizushima, T., see Tamura, I. 241
Mondain-Monval, O., see Montagne, F. 302
Montagne, F., O. Mondain-Monval, C. Pichot, H. Mozzanega and A. Elaïssari, Preparation and characterization of narrow sized (o/w) magnetic emulsion 302
Mozzanega, H., see Montagne, F. 302

Nakamura, J., see Awana, V.P.S. L6
Nalbandian, L., see Zaspalis, V.T. 98
Narumi, T., see Elmegreen, B.G. 39
Nguyen, N., see Sriti, F. 123

Osofsky, M., see Rubinstein, M. 164

Pacyna, A.W., see Bombik, A. 325
Palenzona, A., see Singh, S. 190

Palomares-Sánchez, S., see Ponce-Castañeda, S. 160
Pan, F., see Yang, G.H. 249
Papazoglou, E., see Zaspalis, V.T. 98
Park, J.-S., S.-R. Lee, Y.K. Kim and S.H. Lim, Parametric sensitivity analysis on the giant magnetoresistive characteristics of synthetic antiferromagnet-based spin-valves 25
Peng, K., W. Qin, W. Gao, F. Xu and Y. Du, Magnetization process in NANOPERM-type nanocrystalline alloy 319
Petrakovskii, G., see Boehm, M. 313
Pichot, C., see Montagne, F. 302
Pollert, E., see Jirák, Z. 275
Ponce-Castañeda, S., J.R. Martínez, F. Ruiz, S. Palomares-Sánchez and J.A. Matutes-Aquino, Magnetic properties enhancement of M-Ba ferrites embedded in a SiO_2 matrix 160

Qin, W., see Peng, K. 319

Ragan, D., see Holland, P. L1
Rajagopalan, M., see Kanchana, V. 353
Ramanathan, A., see Vaidyanathan, G. 65
Rao, K.H., see Lakshman, A. 92
Raveau, B., see Sriti, F. 123
Rios, S., see Holland, P. L1
Rodríguez-Carvajal, J., see Schobinger-Papamantellos, P. 225
Roessli, B., see Boehm, M. 313
Romero, M.S., see Lázaro, F.J. 256
Rubinstein, M., A. Hanbicki, P. Lubitz, M. Osofsky, J.J. Krebs and B. Jonker, Ferromagnetic resonance in (Ga,Mn)As 164
Ruiz, F., see Ponce-Castañeda, S. 160

Saber, M., see Bentaleb, M. 138
Salminen, J., see Laiho, R. 267
Schobinger-Papamantellos, P., J. Rodríguez-Carvajal, K.H.J. Buschow, E. Dooryhee and A.N. Fitch, Re-entrant magneto-elastic transition in $HoFe_4Ge_2$: an XRPD study 225
Scholz, W., see Dittrich, R. 12
Schrefl, T., see Dittrich, R. 12
Sekar, R., see Vaidyanathan, G. 65
Sikalidis, C.A., see Zaspalis, V.T. 98
Singh, S., S.K. Dhar, P. Manfrinetti and A. Palenzona, Magnetic properties of $R_3Cu_4Sn_4$ (R = La, Pr, Nd and Sm) 190
Ślawska-Waniewska, A., see Szumiata, T. 83
Srinivasan, R., see Balakrishnan, K. 110
Sriti, F., N. Nguyen, C. Martin, A. Ducouret and B. Raveau, Key role of the charge distribution in the properties of the $Ba_2FeMo_{1-x}Re_xO_6$ double perovskites 123
Suess, D., see Dittrich, R. 12
Sui, Y.C., see Cui, B.Z. 212
Sukstanskii, A.L., see Bukhanko, A.F. 338
Sun, G., see Sun, J. 20
Sun, J., J. Li and G. Sun, Effects of La_2O_3 and Gd_2O_3 on some properties of Ni–Zn ferrite 20
Sun, X.K., see Cui, B.Z. 212
Susukita, R., see Elmegreen, B.G. 39
Szumiata, T., K. Brzózka, M. Gawroński, B. Górka, K. Jezuita, J.S. Blázquez-Gámez, T. Kulik, R. Żuberek, A. Ślawska-Waniewska and J.M. Grenèche, Evolution of the hyperfine and magnetoelastic parameters in the course of crystallization process in niobium-free FINEMET-type alloy 83

Tamura, I. and T. Mizushima, Explanation for magnetic properties of interacting iron oxide nanocrystals 241
Tawfik, A., I.M. Hamada and O.M. Hemeda, Effect of laser irradiation on the structure and electromechanical properties of Co–Zn ferrite 77
Tsakaloudi, V., see Zaspalis, V.T. 98

Urreta, S.E., see Billoni, O.V. 179

Vaidyanathan, G., R. Sekar, R. Vasanthakumari and A. Ramanathan, The effect of magnetic field dependent viscosity on ferroconvection in a rotating sparsely distributed porous medium 65
Vaitheeswaran, G., see Kanchana, V. 353
Van Schendel, P.J.A., see Hoffmann, R. 32
Vasanthakumari, R., see Vaidyanathan, G. 65
Velev, J. and Y.-C. Chang, Perpendicular giant magnetoresistance in Fe/Cr nanowires 219
Vratislav, S., see Jirák, Z. 275

Wang, Z.C., see Blázquez, J.S. 260
Wei, G.-Z., see Jiang, W. 49

Xu, F., see Peng, K. 319

Yamauchi, H., see Awana, V.P.S. L6
Yang, B., Z. Ji, G. Zhilun and L. Longtu, Magnetic properties of non-stoichiometric Y-type hexaferrite 364
Yang, G.H. and F. Pan, Structural and magnetic properties of Co/Mo multilayers 249
Yasuoka, K., see Elmegreen, B.G. 39
Yue, Z., see Bao, J. 131

Zakhvalinskii, V.S., see Laiho, R. 267
Zaspalis, V.T., E. Antoniadis, E. Papazoglou, V. Tsakaloudi, L. Nalbandian and C.A. Sikalidis, The effect of Nb_2O_5 dopant on the structural and magnetic properties of MnZn-ferrites 98
Zhang, W., E.M. Levin and K.A. Gschneidner Jr., The magnetic properties of $Tb(Mn_{1-x}Fe_x)_2$ solid solutions with $0.35 \leqslant x \leqslant 0.65$ 170
Zhang, Z.D., see Cui, B.Z. 212
Zhilun, G., see Yang, B. 364
Zhou, J., see Bao, J. 131
Żuberek, R., see Szumiata, T. 83

ELSEVIER

Journal of Magnetism and Magnetic Materials 250 (2002) 373–374

journal of magnetism and magnetic materials

www.elsevier.com/locate/jmmm

Subject index to volume 250

AC magnetic susceptibility 170
AC susceptibility 256
AC-magnetic susceptibility 325
Accelerator hardware 39
Amorphous alloy 288
Amorphous ferromagnets 110
Anisotropy magnetic 260
Antiferromagnetism 190
Axisymmetric flow 57

Band structure 353
Barium ferrite 160
Bilayer system 138

Chain-like particle agglomerations 197
Charge ordering 275
Chemical coprecipitation 160
Cobalt based perovskites 6
Coercivity 1, 260
CoFe/Ru/CoFe 25
Compensation temperature 138
Composites 179
Computer simulation 25
Critical exponents 267
Crystallization 83
Curie temperature 92
Curie transition 203
Curvature anisotropy 39

DC magnetization 170
Dielectric constant 131
Dielectric properties 20
Disordered interfaces 138
Double-perovskite 123

Electrical conductivity 77
Electromechanical 77
Electronic transport 295
Energy barriers 12
Energy conversion 288
Exchange interactions 92

Ferrimagnetic systems 138
Ferrites 77
Ferroconvection 65
Ferrofluid 302
Ferrofluids 65
Ferromagnetic hysteresis 179
Ferromagnetic resonance 197
Fine particles 241, 256
FMR 164
Free convection 57

Gadolinium 203
GaMnAs 164
Giant magneto-impedance effect 288
Giant magnetoresistance 25, 219
Granular system 295

Heat transfer 57
Hexagonal ferrite (hexaferrite) 131
High pressure 353
Hyperfine fields 83
Hysteresis effect 6

Inelastic neutron scattering 313
Initial permeability 92, 364
Interface coupling 249
Interface stress 203
Interlayer thickness 338
Iron sorbitol 256

Lagrange–Sylvester polynomial 338
Large magnetic grains 295
Laser damage 77
Lattice parameters 170
Loss tangent 131
Low temperature sintering 364

Maghemite 302
Magnetic 319
Magnetic and transport properties 123
Magnetic clusters 267
Magnetic domains: Iron on silver 32
Magnetic emulsion 302
Magnetic force microscopy 32
Magnetic hysteresis 1
Magnetic liquid 197
Magnetic loss factor 92
Magnetic moment 249
Magnetic phase boundaries 267
Magnetic properties 20, 160, 212
Magnetic reorientation phase transition 32
Magnetic semiconductor 164
Magnetic structure 275
Magnetisation 190
Magnetism 353
Magnetization 49, 241, 319
Magneto-resistance 6
Magnetoelastic effects 1, 110
Magnetooptical characteristics 338
Magnetooptical constant 338
Magnetoresistance 275, 295
Magnetostriction 83, 260
Magnetoviscosity 65
Manganites 275
Mechanical alloying 212
Melt spinning 179
Metastable 249
Mg–Mn ferrites 92
MHD effects 57
Micromagnetic methods 39
Micromagnetics 12, 39
Microstructure 364
Minimum energy path 12
Mixed-spin Ising model 49
Mn-substitution 131
MnZn-ferrites 98
Mössbauer effect 241
Mössbauer spectrometry 83
Mössbauer study 123
Multilayers 219, 249, 338
Multiple magnetic transitions 190

Nanocrystalline 319
Nanocrystalline materials 83, 203, 260
Nanowires 219
Nb_2O_5 98
Nd–Fe–V–Nb alloys 212
Neutron diffraction 275
NiFe 1
Ni–Zn ferrite 20
Non-Darcy 57
Non-stoichiometric 364

0304-8853/02/$ - see front matter
PII: S0304-8853(02)01201-5

Non-uniform grid spacing 39
Nucleation 179

Permeability 319
Perpendicular recording 12
Phase diagram 49
Phase transformation 212
Phase transition 353
Polarization mechanism 131
Porous media 57
Porous medium 65
Power losses 98
Power-law 57

$R_3Cu_4Sn_4$ 190
Random magnets 241
Rare earths 20
Rare events 12
Rare-earth alloys 225
Rare-earth orthoferrites 325
Reentrant magnetoelastic transition 225
Relaxation 319
Rotation 65

Saturation magnetization 92
Silicate glasses 160
Size effects 203
Small magnetic impurities 295
Solid solutions 325
Sol–gel 160
Spin-valve 25
Spin-wave spectrum 313
Spontaneous spin reorientation 325
Structure 212
Substitutions 20
Superparamagnetism 256, 302
Surface effects 83
Synthetic antiferromagnet 25

Terbium–manganese–iron Laves phases 170
Thin films 1, 288
Transition metal chalcogenides 353
Transverse anisotropy 288
Transverse crystal field 49
Transverse Ising model 138

Ultrathin magnetic films 32

Vibrating reed 110

Weak ferromagnetism 325

X-ray diffraction 123
XRD data 225

Y-type hexaferrite 364
Young's modulus 110